

# Maharashtra University of Health Sciences, Nashik

Inspection Committee Report for Academic Year 2026-2027

## Clinical Material in Hospital

Name of College/Institute : Madanbhau Patil College of Nursing Kavalapur

Faculty Nursing

### HOSPITAL DETAILS

Sr.No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) <b>To be made available on web site</b>	06	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: <b>Copy to be made available on web site</b>	Yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual .....	1:3	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%)	80 %	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)		Adequate
	i. Whether OPD is functioning to be verified ii. Total No of OPD (on the day of inspection) iii. Average Number of patients attending OPD (current year) iv. Average Number of Delivery (Current year) v. Average Number of abnormal Delivery (Current year)	80 950 40 02	Adequate
<ul style="list-style-type: none"> <li>As per Central Council Norms/ University Norms, above Infrastructure must be available at College.</li> <li>If Infrastructure is available, then mark "Adequate" &amp; do not attach any Documents it should be available on college website</li> <li>In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report</li> </ul>			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief  
Any Other, Please Specify:-

---



---



---

Date:-

*SM Pawar*  
Dean/ Principal Stamp & Signature  
**PRINCIPAL**  
DR.(MRS) SUMAN. M. PAWAR  
Madanbhau Patil College of Nursing  
Kavalapur, Tal:-Miraj Dist:-Sangli



महाराष्ट्र MAHARASHTRA

2024

CT 959226



Parent Hospital

Noted & registered at Serial Numbers ...

959  
2025

### MEMORANDUM OF UNDERSTANDIN

I undersigned Dr. Ajit Lalchand Mehta the member (Trusty) of Shri. Vishwanathrao Shamrao Patil Charitable Trust's Sangli and owner of Mehta Multispecialty Hospital Sangli do here by undertaken following,

-9 JUL 2025

पत्राचार प्रकार/अनुच्छेद क्रमांक	हमीपत्र
दस्तावेज बंदी करणार आहेत का?	नाही
मंडळी होणार असल्यास पुढील निबंधक कार्यालयचे नांव	—
शिल्लकतीचे वर्णन -	—
नेमदला रकम	—
पुस्तक विक्री व वेगळ्याचथे नांव	मदनभाऊ पतिल कॉलेज ऑफ नर्सिंग कवलपूर
सुधारण पत्राचारचे नांव	मेहता हॉस्पिटल प्रोप्रा. अ. ता. मेहता सांगली
पत्राचार करणारा व्यक्तीचे नांव व पत्ता	अ. सु. काटे
पुस्तक विक्री व वेगळ्याचथे रकम	५००/-
पत्राचार करणारी व्यक्ती, क्रमांक/दिनांक	१७३६ / २०१५ / २०२५
पत्राचार करणारी व्यक्तीची सही	<i>[Signature]</i>
पत्राचार करणारी व्यक्तीचा पत्ता	२४०६०८२



पत्राचार करणारी व्यक्तीची सही  
 पत्राचार करणारी व्यक्तीचा पत्ता २४०६०८२



1. Shri. Vishwanathrao Shamrao Patil Charitable Trust's Sangli, Madanbhau Patil College Of Nursing Kavalapur is conducting B.Sc Nursing and GNM Programme.
2. Mehta Multispecialty Hospital Sangli situated at 66, Sangli College Road North Shivaji Nagar, Sangli which is a 100 bedded multispecialty hospital.
3. The hospital is fully owned by me.


2505 JUL 2025

9 JUL 2025

4. I am holding position of member (Trusty) in Shri. Vishwanathrao Shamrao Patil Charitable Trust's Sangli.
5. The hospital is permitted to get all type of clinical experience for students of this institute.
6. The hospital will not allow getting affiliation for any other nursing institute in future.
7. This affiliation to Madanbhau Patil College Of Nursing, Kavalapur will remains valid permanently or till the institute exists.
8. Whatever clinical requirements for students will be fulfilled as per curriculum from time to time.

  
Signature **Dr. Ajit Mehta.**


(Mehta Hospital 66, Sangli College Road North Shivaji Nagar Sangli. )

  
**Dr. Monika Kadam**  
Secretary  
Madanbhau Patil College of Nursing  
Kavalapur - Sangli

  
Signature  
Principal

(Madanbhau Patil College Of Nursing Kavalapur, Sangli)

**BEFORE ME**

  
**ADV. D. T. PAWAR**  
ADVOCATE & NOTARY  
GOVT. OF INDIA, REG. NO. 7795  
Shri Sai, 1145, Kanase Galli,  
Khanbhag, Sangli - 415 418 (M.S.)  
M. 9422619798



**SANGLI MIRAJ & KUPWAD CITY MUNICIPAL CORPORATION**

**FORM 'C'**

(See Rule 5)

Certificate of Registration under section 5 of the Bombay Nursing Homes  
Registration Act 1949

No. 30

This is to Certify that Shri / Smt Dr. Ajit Lalchand Mehta  
has been registered under the Bombay Nursing Homes Registration Act. 1949 in  
respect of

" Mehta Hospital "

(Here insert the name of the Nursing Home.)

Situated at Sangli and has been authorised to carry on the said  
nursing home.

No. of Bed's for Other Patient - 96 Bed's

No. of Bed's for Manternity Patient - 06 Bed's

Registration No. 30

Date of Registration 28/02/2003

Place 66, Timber area, Sangli

Date of issue of certificate 01/04/2024

This certificate of registration shall be valid upto 31st March 200 **31 MAR 2027**

MEDICAL OFFICER OF HEALTH, SANGLI MIRAJ & KUPWAD CITY MUNICIPAL  
CORPORATION (Here insert the name of Local Supervising Authority.)



*M. H. Officer*  
Signature of the registering authority.

Medical Health Officer.

Public Health  
Sangli Miraj & Kupwad City  
Corporation

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

RED/S.S.I

Date: 09/08/2024

No:- Format1.0/CC/UAN No.0000207161/CO/2408000932

To,  
Mehta Hospital  
Surve No.66, Timber area,  
Sangli -416416  
Email:[mehta\\_hospital@yahoo.com](mailto:mehta_hospital@yahoo.com)  
Contact No.:9822299408



Your Service is Our Duty

Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. CC/UAN NO.0000121577/CR/2205001673 dtd. 27.05.2022
  2. Your application for CCA dated 30/04/2024
  3. Report from SRO Sangli dtd. 27.06.2024
  4. This office email dtd. 02.07.2024
  5. Minutes of 7th CC meeting 2024-25 (Agenda-B) held on 26.07.2024.
  6. your reply dtd. 23.07.2024 & 26.07.2024

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent to Operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016, respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **16-04-2024 To 15-04-2027**
2. The capital investment of the HCF is **₹1554.56** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1024.00 M<sup>2</sup> with Built-up area 3000.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **102 Nos.** (As per BNH certificate no. 30 valid upto 31-03-2027)
    - I. General Beds : **35 Nos**
    - II. ICU/ICU Beds : **20 Nos**
    - III. Operation Theatre : **3 Nos**
    - IV. Maternity Beds : **10 Nos**
    - V. Oncology Beds : **5 Nos**
    - VI. Other Beds : **29 Nos**

**5. Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 18 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge		25	Kg/M	

**8. Conditions about Non Hazardous Wastes:-**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal

**9. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**10. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Surya Center Treatment Facility Pvt Ltd, Sangli**. Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.

4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
11. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
  12. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
  13. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
  14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
  15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
  16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
  17. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
  18. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
  19. The industry shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



*Avinash*

951a08bd  
f8a2c1d2  
c4bb602a  
1ef7e01a  
122d9fe5  
33a31241  
b42e6724  
8a52d4d6

Signed by: Dr. Avinash Dhakne  
Member Secretary  
For and on behalf of  
Maharashtra Pollution Control Board  
ms@mpcb.gov.in  
2024-08-09 13:59:51 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	165000.00	MPCB-DR-26245	30/04/2024	NEFT
2	4110.00	TXN2407004907	26/07/2024	Online Payment
3	15000.00	TXN2407004909	26/07/2024	Online Payment
4	38121.00	TXN2408000749	05/08/2024	Online Payment

**As per earlier CCA dtd. 27.05.2022 remaining fees of Rs. 85,000/- is considered for this application Hence balance fees of Rs. 1.00 Lakhs is with the board & shall be considered for further renewal of CCA.**

**Copy to:**

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Sangli  
- - You are directed to ensure the compliance of the consent conditions & BG imposed.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



### Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	18.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	15	As per clause 'C'	Recycle & treated sewage used for gardening & remaining send to local body sewer line.
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	D G SET 250 KVA	Diesel	15.00 Lit/Day	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	250.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	150.00		
		d) Expired or Discarded Medicines	25.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	300.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	75.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
4	Blue	a) Glassware	50.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Metallic body implants	20.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Surya Center Treatment Facility Pvt Ltd, Sangli** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**SCHEDULE-III**

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
<b>Total</b>			<b>1,50,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---






महाराष्ट्र MAHARASHTRA

○ 2020 ○

YK 404490



Noted & Registered  
at Serial Numbers ....

2547  
2021

### MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 17/11/2021 between G.S.Kulkarni Fracture & Orthopedic Hospital Miraj which is represented by its Medical Director herein named as party one and Madanbhai Patil College of nursing A/p- Kavalapur, Tal. Miraj, Dist. Sangli by its principal/Director/Dean herein named as party two the parties hitherto agree as follows :

मुद्रांक नोंदवही क्र. १६४० रु. २००/- दि. १०/११/२०२१

दस्त प्रकार ..... मोबदला रकम रूपये.....

दस्त नोंदणी करणार-होब/वाही कार्यालयचे नांव .....

मुद्रांक खरेदीदाराचे नांव सुयश सारिक नसर, बुधगाँव

दुसऱ्या पार्टीचे नांव महाराष्ट्र अरोग्य विज्ञान विद्यापीठ

हस्ते नांव व पेशा .....

खरेदीदाराची राही

विद्याधर कु. विजवाडे, मु. वि. सांगली.  
परवाना क्र. २४०६०१३



1. Party one declares that G.S.Kulkarni Facture & Orthopedic Hospital Miraj is a 50 (number) bedded hospital, with a minimum of 50 beds for Facture & Orthopedic Department.
2. Party one agree to provide preceptors required to train the Nursing students.
3. Party one agree that, it will not enter into similar agreement with any other institution /s or department /s offering or inted to Nursing programs.
4. The prospective students of B.Sc Nursing will be allowed to undergo training in the following specialty departments.


Orthopedics

5. Party two will provide the academic staff and necessary infrastructure for Nursing course as per the norms and takes the overall responsibility for smooth conduct of the programs.
6. This agreement is to be in effect at least for ten years from the time of its endorsement by both the parties.

17 NOV 2021

7. The officials representing G.S.Kulkarni Facture & Orthopedic Hospital Miraj are signing the MOU to achieve the beneficial objectives of Medical & Nursing programs.

The Ammendment of This MOU will be done in The next 15-20 days



Signature


G.S.Kulkarni Facture & Orthopedic Hospital  
Miraj


Signature



Principal

Madanbhou Patil College of nursing  
Kavalapur, Sangli



**BEFORE ME**  
  
ADV. D. T. PAWAR  
ADVOCATE & NOTARY  
GOVT. OF INDIA, REG. NO. 7795  
Shri Sai, 1145, Kanase Galli,  
Madanbhou, Sangli 416 416 (M.S.)



17 NOV 2021

**SANGLI MIRAJ & KUPWAD CITY MUNICIPAL CORPORATION**  
**FORM 'C'**

(See Rule 5)

**Certificate of Registration under section 5 of the Bombay Nursing Homes  
Registration Act 1949**

**No 319**

This is to Certify that Shri / Smt Dr. Milind Govind Kulkarni  
has been registered under the Bombay Nursing Homes Registration Act, 1949 in  
respect of

"Swasthyog Paristhan Orthopedic Hospital"

(Here insert the name of the Nursing Home.)

located at Miraj and has been authorised to carry on the said

nursing home. No. of Bed's for Other Patient - 61 Beds  
No. of Bed's for Manternity Patient -

Registration No. 319

Date of Registration 12/9/2017

Place Extension Area, Miraj

Date of issue of certificate 31/03/2024

This certificate of registration shall be valid upto - 31 MAR 2027  
MEDICAL OFFICER OF HEALTH, SANGLI MIRAJ & KUPWAD CITY MUNICIPAL  
CORPORATION (Here insert the name of Local Supervising Authority.)



Signature of the Registering Authority.  
Medical Health Officer.  
Publ. Health  
Sangli Miraj & Kupwad City  
Corporation

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701  
 Fax: 24024068 /24023515  
 Website: <http://mpcb.gov.in>  
 E-mail: [mpcb@vsnl.net](mailto:mpcb@vsnl.net)



Kalpataru Point, 2<sup>nd</sup> - 4<sup>th</sup> Floor,  
 Opp. Cine Planet Cinema,  
 Near Sion Circle, Sion (E)  
 Mumbai - 400 022

Red/LSI

Date: 05.05.2021

Consent No: Format 1.0/BO/PSO/HOD- 1901000385

To,  
 M/s. Dr. G.S. Kulkarni Fracture and Orthopedic Hospital,  
 Near Dr. Ambedkar Garden,  
 At. Post, Miraj,  
 Dist. Sangli - 416415  
 (Email: [swasthiyogacc@gmail.com](mailto:swasthiyogacc@gmail.com))

Sub : Combined Consent to Operate & BMW Authorization under RED  
 Category to Health Care Establishment (HCE).

Ref : 1. Your BMW Authorization & Consent application resubmitted to MPCB, HQ, Sion,  
 Mumbai on 19/12/20  
 2. Report submitted by SRO- Sangli

## Consent to Operate

under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 and Biomedical Waste Management Rules 2016 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

- The conditional consent to operate is granted for a period from 04.06.2021 to 04.06.2024
- The capital investment of the HCE is Rs. 1.80 Crore.  
(As per C. A. Certificate submitted)
- The Consent is valid for the Activity of -

Sr.No.	Activity	Beds
1	Hospital	
	a) Beds	90 Nos.
	b) Total Plot Area	2647.50 sq. mtrs
	c) Total Built up Area	2632.98 sq. mtrs

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	-	As per Schedule -I	On land for gardening
2.	Domestic effluent	20.0	As per Schedule -I	

- Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G. Set (125.0 KVA)	1 No.	As per Schedule - II

6. Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Treatment	Disposal
1	Sludge from Sewage Water treatment	As per Actual	MT/Year	-	Municipal Landfill/

7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
9. This consent is issued subject to conditions mentioned below,
- i) The "authorized Person" M/s. G.S. Kulkarni Fracture and Orthopedic Hospital, Sangli shall comply with the provisions of the Environment (Protection) Act, 1986, and Rules made there under.
  - ii) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
  - iii) If the built up area exceeds more than 20,000 sq. mtrs. and if the hospital is commissioned after 14.09.2006, the project proponent shall comply EIA Notification 14.09.2006 by obtaining Environment Clearance.
  - iv) You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) alongwith Annual Report to MPCB with a copy to CPCB before 30<sup>th</sup> June every year.
  - (iv) You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website [www.cpcb.nic.in](http://www.cpcb.nic.in) dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
  - (v) You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years;
  - (vi) You shall establish Bar code system within one year.
  - (vii) You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
  - (viii) You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of notification.

- (ix) You shall submit separate Bank Guarantee of Rs.1,50,000/- towards compliance of condition mentioned at Annexure – IV to Regional Office, Kolhapur within 30 days.
- (x) You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Kolhapur for verification purpose.
- (xi) You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees

For and on behalf of the  
Maharashtra Pollution Control Board

(Dr. A. R. Supate)  
Principal Scientific Officer

Received Consent / Authorization fee of –

Sr. No.	Amount (₹)	Dr no.	Date
1	45,000/-	TXN1610000283	04.10.2018
2	45,000/-	TXN1804001207	11.04.2019
3	30,000/-	TXN1804001511	13.04.2020
4	75,000/-	7618497	10.12.2021
Remaining fee of Rs. 15,000/- shall be consider for further renewal period of CCA			

Copy to:

1. Regional Officer – MPCB , Kolhapur and Sub –Regional Officer – Sangli, MPCB – They are directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Mumbai- for information.

### Schedule-I

#### I) Terms & Conditions for compliance of Water Pollution Control

- 1) A] You shall provide combined waste water primary treatment for the Trade effluent and domestic sewage generated from the hospital and thereafter the treated effluent shall be discharged in to Sewage Treatment Plant with the adequate design capacity followed by **Chlorination** and the treated water shall be disposal to Municipal Sewer / Land application after achieving standard prescribed below:
- B] The Applicant shall operate the combined waste water treatment plant to treat the trade and domestic effluent so as to achieve the following standards prescribed by the Board or under E P Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/l, except for pH
01	pH	6.5-9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	30
05	COD	250
06	Total Suspended Solids	100
08	Bio-Assay test	90 % survival of fish after 96 hours in 100 % effluent

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waste water & the system for the disposal of effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps for expansion / modify or establish any modification to treatment and disposal system or an extension or addition thereto.
- 3) You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) You shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

#### II) Water Consumption

Sr. No.	Purpose for water consumed	Water Consumption quantity CMD
1.	Industrial Cooling and boiler feed etc.,	---
2.	Domestic purpose	25.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	--
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	---
5	Other such as agriculture, gardening, etc.	---

## Schedule-II

### Terms & conditions for compliance of Air Pollution Control

1. As per your application, you have proposed / provided the Air pollution control (APC) system and also proposed to erect/erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached to	Height in meter	Type of Fuel	Quantity lit/hr
1	D.G. Set (125.0 KVA)	1.5	Diesel	10.0

2. The applicant shall provide stack height of 1.5 mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup>
--------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

Schedule-III

Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF

The authorisation is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below :

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	120.0	Yellow coloured non-chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB i.e. M/s. Surya Central Treatment, CBMWTSDF, Sangli.
		b) Animal Anatomical Waste	--		
		c) Soiled Waste	190.0		
		d) Expired or Discarded Medicines	20.0		
		e) Chemical Waste	--	Separate collection system leading to effluent treatment system	
		f) Chemical Liquid Waste	--		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	12.0	Yellow coloured non-chlorinated plastic bags or suitable packing material	
		h) Microbiology Biotechnology and other clinical laboratory waste	12.0	Autoclave safe plastic bags or containers	
2	Red	Contaminated waste (Recyclable)	75.0	Red coloured non-chlorinated plastic bags or containers	
3	White (Translucent)	Waste sharps including Metals	24.0	Puncture proof, Leak proof, tamper proof container	
4	Blue	a) Glassware	9.0	Cardboard boxes with Blue colored marking	
		b) Metallic body implants	10.0		


*(Handwritten mark)*

**Schedule-IV : Bank Guarantees**

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by M/s. G.S. Kulkarni Fracture and Orthopedic Hospital, Sangli

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
I (A)	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	25,000/-
2	Operation and Maintenance of combined waste water treatment plant to achieve prescribed discharged standards	Continuous	25,000/-
I (B)	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 30th June	Continuous	15,000/-
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10,000/-
II	Performance		
1	To provide storage facility as per CPCB guidelines	Six	25,000/-
2	To install sewage treatment plant for treatment of sewage	Six	50,000/-
		Total	1,50,000/-
Rupees One Lakh Fifty Thousand only			

**Note : You shall submit the B.G. valid for additional 4 month period after the validity of your granted CCA.**



9) An inspection book shall be prepared and made available to the Board's officers during their visit to the HCF.

10) You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1986 and Environment Protection Act, 1986 and industry specific standards under EP Rules 1986 which are available in MPCB website (www.mpcb.org).

11) You shall continue to Environment cell with qualified staff/personnel/agency to see the day to day compliance of content & authorization condition towards Environment.

### Schedule-V

#### General Conditions

The following general conditions shall apply as per the type of the industry

- 1) You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly.
- 3) You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) You shall submit, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, Kolhapur, the 30<sup>th</sup> day of September every year.
- 7) You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- Kolhapur as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
- 10) You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 11) You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- 14) You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 15) You should not cause any nuisance in surrounding area.
- 16) You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 17) You shall maintain good housekeeping.
- 18) You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office Kolhapur by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
- 19) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 20) You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 21) You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 22) You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
- 23) You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
- 24) You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

pediatric Surgery



महाराष्ट्र MAHARASHTRA

2022

10AA 341085



Noted & Registered  
Serial Number.....

3914/2023

11 MAR 2023



MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 28/02/2023 between Pediatric Surgery Center & PG Institute Sangli which is represented by its Medical Director herein named as party one and Madanbhou Patil College of Nursing A/p- Kavalapur, Tal- Miraj, Dist- Sangli by its Principal /Director/Dean herein named as party two the parties hitherto agree as follows:



मूद्रक प्रतिज्ञापत्रासाठी (अनुच्छेद-१) Only For Affidavit

पत्रिका देण्यासाठी सादर करावयाचे  
(For Submitting to)

पत्रिका देण्यासाठीचे कारण-  
(Reason for Affidavit)

मूद्रक विक्रेत्याचे नाव  
(Stamp Purchaser's Name)

मूद्रक विक्रेत्याचे पत्ता  
(Stamp Purchaser's Address)

मूद्रक विक्री नोंद वही अनु. क्रमांक / दिनांक  
(Serial No./Date)

मूद्रक विक्रेत्याचे स्वाक्षरी  
(Stamp Purchaser's Sign)

प्रमाणित मूद्रक विक्रेत्याची सहा-  
मूद्रक विक्रेत्याचे नाव- मारुत मल्हारी गाडेकर

मूद्रक परवाना क्रमांक. २४०६०६२

मूद्रक विक्रीचे ठिकाण- वहाशिल कार्यालय भायार, मिरज

(ज्या कायदासाठी उधारी मूद्रक खरेदी केला आहे त्याची त्याच कारणासाठी

मूद्रक विक्रीचे ठिकाण व नोंद वही पास करवणे बंधनकारक आहे.)

28 FEB 2022

1. Party one declares that Pediatric Surgery Center & PG Institute Sangli is a 100(number) bedded hospital, with a minimum of 100 beds for Pediatric Department.
2. Party one agree to provided preceptors required to train the Nursing students.
3. Party one agree that , it will not enter into similar agreement with any other institution /s or department /s offering or intend to Nursing programs.
4. The prospective students of B.sc Nursing will be allowed to undergo training in the following specialty departments.

Pediatric Department.

5. Party two will provide the academic staff and necessary infrastructure for nursing course as per the norms and takes the overall responsibility for smooth conduct of the programs.
6. This agreement is to be in effect at least for Five years from the time of its endorsement by both the parties.



7. The officials representing Pediatric Surgery Center & PG Institute Sangli are signing the MOU to achieve the beneficial objectives of Medical & Nursing program. .

Signature.

(Pediatric Surgery Center & PG Institute Sangli.)

**Dr. Sudhakar S. Jadhav**  
M.S.(Gen Surg.) M.Ch.(Paed Surg.) Bom.  
**PAEDIATRIC SURGEON,**  
Reg.No.50077  
Paediatric Surgery Centre,  
Vishrambag,Sangli-416 415.

Signature

Principal.

( Madanbhai Patil College Of Nursing

Kavalapur, Sangli)



**BEFORE ME**

**Adv. MARUTI P. PATIL**  
NOTARY REG. NO. 5289  
GOVT. OF INDIA  
"VAISHNAVI APPT", F-2, BRAHMANPURI,  
MIRAJ - 416 410. MO. 9422613749  
NOTARY EXP. DT. 31/1/2028



# SANGLI MIRAJ & KUPWAD CITY MUNICIPAL CORPORATION

## FORM 'C'

(See Rule 5)

Certificate of Registration under section 5 of the Bombay Nursing Homes  
Registration Act 1949

No.165

This is to Certify that Shri / Smt Dr. Sharada Sudhakar Jadhav  
has been registered under the Bombay Nursing Homes Registration Act. 1949 in  
respect of

" Paediatric Surgery Centre & P. G. Institute "

(Here insert the name of the Nursing Home.)

Situated at Sangli and has been authorised to carry on the said  
nursing home.

No. of Bed's for Other Patient - 100 Bed's

No. of Bed's for Manternity Patient - 00 Bed's

Registration No. 165

Date of Registration 21/06/2006

Place Opp. DSP Office, Vishrambag, Sangli

Date of issue of certificate 31/03/2024

This certificate of registration shall be valid upto 31st March 2008 1 MAR 2027

MEDICAL OFFICER OF HEALTH, SANGLI MIRAJ & KUPWAD CITY MUNICIPAL  
CORPORATION (Here insert the name of Local Supervising Authority.)



Signature of the registering authority.

Medical Health Officer,  
Public Health  
Sangli Miraj & Kupwad City  
Corporation

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [pso@mpcb.gov.in](mailto:pso@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

RED/S.S.I

No:- Format1.0/PSO/UAN No.MPCB-  
CONSENT-0000213988/CO/2409000170

Date:  
03/09/2024

To,  
Paediatric Surgery Centre and PG Institute  
8750, Opp DSP Office, Vishrambag, SANGLI  
Miraj,  
Sangli-416101  
Email: [sudhakarjadhavpaed@gmail.com](mailto:sudhakarjadhavpaed@gmail.com)  
Contact No.: 9372458456



Your Service is Our Duty

*Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Bio-Medical Waste Authorization granted by the Board dated 11/08/2021
  2. Your application for Bio-Medical Waste Authorization dated 26/06/2024
  3. information called through mail dated 25/08/2024
  4. Reply uploaded on 30/08/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-07-2024 To 30-06-2028**
2. The capital investment of the HCF is **₹150.00** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 750.00 M<sup>2</sup> with Built-up area 700.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 165 valid upto 31-03-2027)
5. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 25 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		NA	As per Actual	MT/A	NA

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Surya Center Treatment Facility Pvt Ltd, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. As per application the laundry activity is not within premises hence You shall not perform laundry activity within premises without board permission
18. Rs. 53600/- recovered from the paid fees towards 12% intrest for non submission of Bank Guarantee withn stipulated period as per circualr dated 29/02/2024
19. You shall submit the Bank Guarantee of Rs. 1.50 Lakh towards compliance of condition stipulated in schedule-III to Regional Office, Kolhapur within 15 days from date of issuance of this CCA. Non submission of Bank Guarantee within stipulated period attract 12% interest as per Board Circular dated 29/02/2024

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



*Ranjan*

Generated By: 2350a459  
81b121fd  
c32ced78  
b5aaf99d  
9355ad01  
52b66524  
5522f475  
6b81c0f1

Signed by: Dr. Vishwajeet Ramesh Thakur  
Principal Scientific Officer  
For and on behalf of,  
Maharashtra Pollution Control Board  
pso@mpcb.gov.in  
2024-09-03 18:39:10 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2406004847	26/06/2024	Online Payment
2	10100.00	TXN2409000240	03/09/2024	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Sangli  
- Regional Officer, MPCB Kolhapur is directed to ensure submission of valid fresh Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.  
Sub Regional Officer, Sangli directed to ensure the compliance of the CCA conditions.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	25.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	20	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C )	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set(50 KVA)	Diesel	30.00 Ltr/Hr	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	125.00		
		d) Expired or Discarded Medicines	50.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	30.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	30.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	150.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
4	Blue	a) Glassware	10.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Metallic body implants	5.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Surya Center Treatment Facility Pvt Ltd, Sangli** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**SCHEDULE-III**

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	25,000.00
<b>Total</b>			<b>1,50,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.

15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---






महाराष्ट्र MAHARASHTRA

2023

79AA 080078




Noted & Registered  
at Serial Numbers ...

2268  
2023

### MEMORANDUM OF UNDERSTANDING


This memorandum of understanding is made on 14 /12/2023 between Sarvhit Mediserve Private Limited Sangli which is represented by its Medical Director herein named as party one and Madanbhou Patil College of Nursing A/p- Kavalapur, Tal- Miraj, Dist- Sangli by its Principal /Director/ Dean herein named as party two the parties hitherto agree as follows:

वस्तुव्यापक प्रकार/अनुच्छेद क्रमांक	८०२१२
वस्तु नोंदणी क्रमांक आहेत का?	नाही
नोंदणी होणारे अल्पवयस दुय्यम विद्यार्थ्यांचे नांव	—
मिळकतीचे पत्राचे -	—
नोंदणी शुल्क	—
मुद्रांक विकत घेणाऱ्याचे नांव	प्रा. मदनभाऊ पाटील कॉलेज ऑफ नर्सिंग कवला
मुद्रांक पत्रकाराचे नांव	डॉ. महेश शाहा सर्वहित हॉस्पिटल सांगली
पत्राचे अंशालयास रथांचे नांव व पत्ता	अ. अ. पाटील
मुद्रांक शुल्क एकूण रक्कम	१००/-
मुद्रांक दि.नि.नं. वही क्र. मस. ३/विभांक	१६६०२ / १३१२/२०२३
मुद्रांक विकत घेणाऱ्याची सही	
मजानत शिवाजी कावळे २४०६०८२ बुधवार, ता. मिरज	




1. Party one declares that Sarvhit Mediserve Private Limited Sangli is 108 bedded hospital, for Medical Department and ICU.
2. Party one agree to provided preceptors required to train the students.
3. Party one agree that, it will not enter into similar agreement with other institution /s or department/s offering or intend to programs.
4. The prospective students of B.Sc Nursing will be allowed to undergo training in the following speciality departments.  
Medicine Department (Wards and ICU's)
5. Party two shall assign students from college of Nursing to the affiliation agency for clinical experience nursing course as per the norms and takes the overall responsibilities for smooth conduct of the programs.

6. The duration of experience shall be as per the syllabus laid down by Indian Nursing Council New Delhi.
7. This agreement is to be in effect at least for Five years from the time endorsement by both the parties.
8. The officials representing Sarvhit Mediserve Private Limited Sangli are signing the MOU to achieve the beneficial objectives of Medical and Nursing program.

  
Signature.

(Sarvhit Mediserve Private Limited Sangli.)

Signature




Principal

(Madanbhau Patil College Of Nursing  
Kavalapur, Sangli)



**BEFORE ME**

  
ADV. D. T. PAWAR  
ADVOCATE & NOTARY  
GOVT. OF INDIA, REG. NO. 7791  
Shri Sai, 1145, Kanase Galli,  
Khanbhaq, Sangli 415 416 (M S)



**SANGLI MIRAJ & KUPWAD CITY MUNICIPAL CORPORATION**

**FORM 'C'**

(See Rule 5)

Certificate of Registration under section 5 of the Bombay Nursing Homes  
Registration Act 1949

No. **4** Dr. Mahesh Fulchand Shah  
Dr. Naman Mahesh Shah  
Dr. Aditi Naman Shah

This is to Certify that Shri / Smt .....  
has been registered under the Bombay Nursing Homes Registration Act. 1949 in  
respect of

" Sarvhit Mediserve Private Limited "

(Here insert the name of the Nursing Home.)

Situated at **Sangli** ..... and has been authorised to carry on the said  
nursing home.

No. of Bed's for Other Patient - 108 Bed's  
No. of Bed's for Manternity Patient - 00 Bed's

Registration No. **4**

Date of Registration **6/5/2002**

Place **South Shivajinagar, Sangli**

Date of issue of certificate **1/4/2024**

This certificate of registration shall be valid upto 31st March 200 **31 MAR 2027**

MEDICAL OFFICER OF HEALTH, SANGLI MIRAJ & KUPWAD CITY MUNICIPAL  
CORPORATION (Here insert the name of Local Supervising Authority.)



*[Signature]*  
Signature of the registering authority.  
Medical Health Officer,  
Public Health  
Sangli Miraj & Kupwad City  
Corporation



## 2. Health Care Facility (HCF) Information

a) Name of the Health Care Facility

M/s. Sarvhit Mediserves Pvt. Ltd.,

b) Address for Correspondance

**Pin Code**

416416

**District**

Sangli

**City/Town**

Miraj

**Survey/Gut No.**

Plot No 532 A1 South Shivaji  
Nagar

**Name of premises /Building**

Behind Pudhari Bhavan

**Road/Street**

Behind Pudhari Bhavan

**Area/Locality**

Sangli City

**Email**

drmfshah@gmail.com

**Website URL**

00

c) Details of Contact Person

**Name of the contact person**

Mahesh Fulchand Shah

**Contact No.**

9822056440

**Email**

drmfshah@gmail.com

**Designation**

MD

d) Onwership of Facility

Private (Registered under company Act)

e) Month and year of commissioning of the HCF

06/05/2002

f) Area of the Facility / Hospital

**i) Total plot area (in square  
meter)**

1393.70

**ii) Built up area (in square meter)**

5638.33

**iii) Open Plot Area (Sq.Mtr)**

660.60

g) Enter Latitude and Longitude of site (In degrees)

**Latitude (In degrees)**

73.20

**Longitude (In degrees)**

34.24

h) Gross capital investment of the HCF/CBWTF without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by certificate from Chartered Accountant / Balance sheet)

CA Certificate

Sr. No.	Fixed Assets	Amount (in lakh)
1	Land	120.0000
2	Building / Premises	1426.4000
3	Plant & Machinery / Equipment	615.0000
4	Furniture / Fixture	160.0000
5	Any other movable / immovable fixed assets (Please specify)	
5.a	NA	NA
5.b	NA	NA
5.c	NA	NA
5.d	NA	NA
5.e	NA	NA
6	Capital Work in Progress (if any)	NA

**Gross Capital (in Lakh)**

2321.40 (Lakh)

**Certificate Date**

01-07-2023

i) Compliance of Location Criteria

**Location of facility**

**Whether it is notified industrial area**

**Land Use Type**

**Land Ownership**

Urban No Residential & Commercial Self Owned

j) Does HCF have Laundry facility in premises No

k) Does HCF have Canteen/Cafeteria facility in premises No

l) Does HCF have Hostel/Residential quarters in premises No

m) Number of Patient Treated per Day

**OPD (Average Patient / Day ) IPD / Admitted (Average Patient / Day)**

150 65

n) Name of the local body under whose jurisdiction the HCF is located.

**ULB Type**

Municipal Corporation

**ULB Name**

Sangli-Miraj & Kupwad Municipal Corporation

o) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority

**Planning Authority**

BNH

**Planning permission**

Occupancy Certificate

**3.BMW Authorization Details**

a) Discipline of Medicine

Medicine,Physiotherapy,Occupational therapy

b) Bombay Nursing Home Registration Details

<b>Total number of Beds</b>	<b>BNH Registration Number</b>	<b>Valid Upto</b>	<b>First Issued Date</b>
108	4	31-03-2024	06-05-2002

**Certificate issuing Authority**

Medical Officer or Health Officer of Municipal Corporation

Total Bed Break up

<b>General Beds</b>	<b>ICCU/ICU Beds</b>	<b>Maternity Beds</b>	<b>Operation Theatre</b>	<b>Oncology Beds</b>	<b>Other Beds</b>
27	23	0	4	0	54

c) Diagnostic and Pharma Facilities available in Premises

<b>Pathology Lab</b>	Yes	<b>Average Samples/day</b>	10
<b>Blood Bank</b>	No		
<b>X-Ray</b>	No		
<b>CT Scan</b>	Yes		
<b>MRI</b>	Yes		
<b>USG</b>	Yes	<b>USG Number Per Day</b>	5
<b>ECG/EEG</b>	Yes	<b>ECG Number Per Day</b>	10
<b>Medical Store / Pharmacy</b>	Yes	<b>Nos</b>	1
<b>Other</b>	No		

Sr No	Type	Category	Temporary Storage Area			Avg. No. of Bag/Container (Per Day)
			Length (Ft)	Width (Ft)	Height (Ft)	
1	Untreated BMW	Yellow	2.00	1.00	1.00	5.00
		Red	2.00	1.00	1.00	5.00
		Blue	2.00	1.00	1.00	5.00
		White	2.00	1.00	1.00	5.00

#### 4. Consent Details

a) Sources of Water

i) **Surface Water** Yes

**Name of the water supply** Water Consumption Quantity (CMD)

Municipal Corporation 45

ii) **Ground Water** No

iii) **Tanker Water** No

b) Water Consumption Details

<b>Raw Water (CMD)</b>	<b>Recycle Water (CMD)</b>	<b>Total Water Quantity Requirement (CMD)</b>
45	0	45

c) Water consumption for different uses (CMD)

Purpose	Consumption	Effluent Generation	Treatment	Disposal
<b>Domestic Pourpose</b>	40	40	STP	Local Bodies Sewer
<b>Processing whereby water gets Polluted &amp; Pollutants are Biodegradable</b>	5	5	ETP	Recycle, Local Bodies Sewer
<b>Processing whereby Water gets Polluted, Pollutants are not Biodegradable &amp; Toxic</b>	0	0	NA	Recycle
<b>Industrial Cooling, spraying in mine pits or boiler feed</b>	0	0	ETP	Recycle
<b>Total</b>	45.00	45.00		

d) Waste Waster Treatment

**Have you installed STP or ETP**

No

e) Other waste generation details

1) **Municipal Solid Waste**

<b>a) Biodegradable Waste(kg/day)</b>	<b>b) Recyclable Waste(kg/day)</b>	<b>c) Domestic Hazardous Waste(kg/day)</b>
15.00	0.00	0.00

2) **E-Waste (Kg/Annum)** 15.00

3) **Plastic Waste (Kg/Annum)** 15.00

4) **Hazardous Waste (Kg/Annum)** 0.00

Air Pollution

**Whether D.G. Set Installed**

Yes

Capacity(KVA)	Make	Fuel Used	Fuel QTY	Unit	Stack Height in meter	Accoustic Enclosure for noise control
---------------	------	-----------	----------	------	-----------------------	---------------------------------------

10	Kirloskar	Diesel	5.00	Ltr/H	0.00	NO
----	-----------	--------	------	-------	------	----

**Do you have Boiler Installed**

No

Boiler Details

Make	Model	Combustion efficiency	Fuel Type	Qty	Shape (round/rectangular)
------	-------	-----------------------	-----------	-----	---------------------------

**5. Additional Information**

**Do you have Bio Medical Waste Management Committee Constituted**

Yes

**Do you have Infection Control Committee Constituted**

Yes

---




महाराष्ट्र MAHARASHTRA

2025

DT 034238

Noted & registered  
at Serial Numbers ...

1282  
2025



### MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 10/10/2025 between Nirmal Neuropsychiatry Centre, Station road, Near Pujari Hospital, Miraj, Dist- Sangli which is represented by its Medical Director herein named as party one and Madanbhau Patil College of Nursing A/p- Kavalapur, Tal- Miraj, Dist- Sangli by its Principal /Director/ Dean herein named as party two the parties hitherto agree as follows:

16 OCT 2025

स्वतंत्रता प्रकार/ अनुच्छेद क्रमांक	हमिपत्र
दस्त नोंदणी करणार आहेत का?	नाही
हॉस्पिटल असल्यास मुख्य निबंधक कार्यालयचे नंबर	—
संबंधीचे दर्शन -	—
सोबतला रकम	—
पुत्रांक विकत घेणाऱ्याचे नांव	महलभाऊ पाटील कॉलेज ऑफ नर्सिंग कवल्यापुर
पुत्रांच्या पत्रकाराचे नांव	निर्मल हॉस्पिटल मिराज
दस्त असल्यास त्याचे नांव व पत्ता	अ. कु. कारे
पुत्रांक शुल्क एकूण रकम	5000
पुत्रांक दिग्गि नोंद घेई अनु. क्रमांक/दिनांक	६९३६/१६/१०/२०२५
पुत्रांक विकत घेणाऱ्याची सही	अ. कु. कारे
संजमल शिवाजी कायदे २४०६०८२ मुंबाई, राज. निराज	अ. कु. कारे



1. Party one declares that Nirmal Neuropsychiatry Centre is 50 bedded hospital Miraj .
2. Party one agree to provide preceptors required to train the students.
3. The prospective students of B.Sc Nursing and GNM Nursing will be allowed to undergo training in the following speciality departments.  
OPD, Psychiatric ward, ICU, OT, De addiction ward .

१६/१०/२५

१६/१०/२५

4. Party two shall assign students from college of Nursing to the affiliation agency for clinical experience nursing course as per the norms and takes the overall responsibilities for smooth conduct of the programs.
5. The duration of experience shall be as per the syllabus laid down by Indian Nursing Council New Delhi.
6. This agreement is to be in effect at least for Five years from the time endorsement by both the parties.
7. The officials representing Nirmal Neuropsychiatry Centre are signing the MOU to achieve the beneficial objectives of Medical and Nursing program.

Nirmal Neuropsychiatry Centre

Proprietor

Signature

Dr. Chandrashekhar Halingale

(Nirmal Neuropsychiatry Center Miraj.)

Signature

Principal

(Madanbhou Patil College Of Nursing Kavalapur, Sangli)



**BEFORE ME**

**ADV. D. T. PAWAR**  
**ADVOCATE & NOTARY**  
**GOVT. OF INDIA, REG. NO. 7795**  
Shri Sai, 1145, Kanase Galli,  
Khanbhag, Sangli - 416 416 (M.S.)  
M. 9422619792

**16 OCT 2025**



Form - C

MHCA 2017- [See rule 11(3)]

**CERTIFICATE OF PROVISIONAL REGISTRATION**

The state authority after considering the application dated 01/06/2023 submitted by **NIMHS Hospital Private Limited** under section 65 (2) and section 66 (10) of the Mental Health Care act 2017, hereby accords provisional registration to the applicant mental health establishment in terms of section 66(4) as per the details given here under

Name: - **Dr. Chandrashekhar A. Halingale**

Address: - **Station Road near Railway Station, Miraj, Sangli**

Number of beds: - 30


The provisional registration certificate issued is subject to the condition laid down in the Mental Health Care act 2017, and the rules and regulation made their under and shall be valid for a period of twelve months from the date of its issue and can be renewed एवम् नवनीतं जायते

Place: -Mumbai

Date: -07/06/2023

**GOVERNMENT OF  
MAHARASHTRA**

**Dr. Swapnil Lale**  
Chief Executive Officer  
State Mental Health  
Authority, Mumbai  
Seal of the Registration Authority

  
Registration Authority



**MAHARASHTRA STATE MENTAL HEALTH AUTHORITY  
(MSMHA)**

**Form-F**

**[See rule 66]**

**CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL  
HEALTH ESTABLISHMENT**

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - **Dr. Chandrashekhar Halingale**

Address: - **Nirmal Neuropsychiatry Center, Station road, Near Pujari Hospital,  
Miraj, Dist. Sangli**

No of beds: - **20**

Permanent Registration Certificate No. **87/2024**

The Permanent registration certificate No. **87/2024** issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: 11/01/2024

**Dr. Swapnil Lale  
Chief Executive Officer  
State Mental Health  
Authority, Mumbai**

Seal of the Registration Authority

  
Registration Authority  
(MSMHA)

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0233 - 2672032  
Fax: 0233- 2323732  
Website: <http://mpcb.gov.in>  
Email: [srosangli@mpcb.gov.in](mailto:srosangli@mpcb.gov.in)



300/2 , Udyog Bhavan , Near  
Government Rest House ,  
Vishrambaug , Sangli - 416  
416

**ORANGE/S.S.I**

**Date: 13/03/2024**

**No:- Format1.0/SRO/UAN No.0000173554/CO/2403001239**

To,  
M/s. Nirmal Hospital,  
Station road, Near Pujari Hospital,  
Miraj city, Dist. Sangli - 416 410  
Email:[nirmalhospital12345@gmail.com](mailto:nirmalhospital12345@gmail.com)  
Contact No.:9011800419



Your Service is Our Duty

*Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000173554& BMW Auth No.
  2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 23/12/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Combined Consent to Operate and BMW authorization is granted up to: 31.05.2025.
2. The capital investment of the HCF is **₹61.43** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 259.00 M<sup>2</sup> with Built-up area 200.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **50 Nos.**
    - I. General Beds : **35 Nos**
    - II. Operation Theatre : **5 Nos**
    - III. Other Beds : **10 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 7 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Surya Center Treatment Facility Pvt Ltd, Sangli** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

**10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

**11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Combined Consent to Operate and Bio medical waste Authorization fees communicated to industry authority is based on the Circulars issued by Maharashtra Pollution Control Board. In case any additional fees are required/generated. It is mandatory on the part of the industry authority to pay the said additional fees / deemed fee on top priority after communication from the MPCB Office.
18. Hospital Authority shall operate the Effluent / Sewage Treatment Plant continuously and scientifically so as to achieve the standards. Also, to maintain the record regarding the same.
19. Hospital authority shall scientifically store the Bio medical waste in a colour coded bags and in isolated / separate close arrangement with Bio Hazard symbol at the entrance. Also, to maintain record regarding daily disposal of Biomedical waste to the concerned Common Bio medical waste, Treatment, Storage and Disposal Facility and also to submit Biomedical waste Annual report without fail.



**Received Consent/Authorization fee of -**

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	15000.00	TXN2307004353	31/07/2023	Online Payment
2	19206.00	TXN2403002670	13/03/2024	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Kolhapur for information.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	7.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	5.00	As per clause 'C'	100% recycle in the process after achieving the standards mentioned in this Consent..
2	Trade effluent	0	As per clause 'C'	Not applicable.

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Discharge Standards applicable</b>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	0	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I**

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	6.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	22.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	27.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
3	White (Translucent)	Waste sharps including Metals	2.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Surya Center Treatment Facility Pvt Ltd, Sangli Sangli
		b) Metallic body implants	0.00		

### SCHEDULE-II

#### **Responsibilities of CBWTF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Surya Center Treatment Facility Pvt Ltd, Sangli** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016

4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

### **SCHEDULE-III**

#### **Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

#### SCHEDULE-IV

#### **General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

**This certificate is digitally & electronically signed.**

---



महाराष्ट्र MAHARASHTRA

© 2020 ©

YK 404491



Noted & Registered  
at Serial Numbers .....

2546  
2021

### MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 17/11/21 between Sushil Hospital Sangli which is represented by its Medical Director herein named as party one and Madanbhau Patil College of nursing A/p- Kavalapur, Tal. Miraj, Dist. Sangli by its principal/Director/Dean herein named as party two the parties hitherto agree as follows :

मुद्रांक नोंदवही क्र. १६३० रु. २००१ दि. १०/११/२०२१

दस्त प्रकार कैपिन मोबदला रकम रूपये.....

दस्त नोंदणी करणार-होय/साही कार्यालयाचे नांव .....


मुद्रांक खरेदीदाराचे नांव सुश्री सशिल नर्सरी, पुणे

दुसऱ्या पार्टीचे नांव हाराणू अरोडा विज्ञान विद्यापीठ

हस्तो नांव व पदा गारिक

खरेदीदाराची सही

पुणे  
विद्याथर सु. बिरनाले, मु. वि. सांगली.  
परवाना क्र. २४०६०१३



1. Party one declares that Sushil Hospital Sangli is a 50 (number) bedded hospital, with a minimum of 50 beds for Gynecology & obstetrics Department.
2. Party one agree to provide preceptors required to train the Nursing students.
3. Party one agree that, it will not enter into similar agreement with any other institution /s or department /s offering or inted to Nursing programs.
4. The prospective students of B.Sc Nursing will be allowed to undergo training in the following specialty departments.

Gynecology & obstetrics

5. Party two will provide the academic staff and necessary infrastructure for Nursing course as per the norms and takes the overall responsibility for smooth conduct of the programs.
6. This agreement is to be in effect at least for ten years from the time of its endorsement by both the parties.

17 NOV 2021

7. The officials representing Sushil Hospital Sangli are signing the MOU to achieve the beneficial objectives of Medical & Nursing programs.

  
Signature


Sushil Hospital Sangli  
**Dr. SUBHASH C. PATIL**  
Reg.No.- 70175 MD. DGO(BOM)  
SUSHIL MATERNITY HOSPITAL  
OPP. AMBASSADOR HOTEL  
VISHRAMBAG, SANGLI-416415

Signature

  
Principal

Madanbhau Patil College of nursing  
Kavalapur, Sangli



**BEFORE ME**  
  
**ADV. D. T. PAWAR**  
ADVOCATE & NOTARY  
GOVT. OF INDIA, REG. NO. 7795  
Shri Sai, 1145, Kanase Galli,  
Madanbhau Sangli 416 416 (M.S.)



17 NOV 2021

**SANGLI MIRAJ & KUPWAD CITY MUNICIPAL CORPORATION**  
**FORM 'C'**

(See Rule 5)

Certificate of Registration under section 5 of the Bombay Nursing Homes  
Registration Act 1949

No. 28

Dr. Subhash C Patil

This is to Certify that Shri / Smt ..... Dr. Sushant Subhash Patil.....  
has been registered under the Bombay Nursing Homes Registration Act, 1949 in  
respect of

“ Sushil Hospital “

(Here insert the name of the Nursing Home.)

Situated at ..... Sangli ..... and has been authorised to carry on the said

nursing home. No. of Bed's for Other Patient - 20 Beds

No. of Bed's for Manternity Patient - 30 Beds

Registration No: 28

Date of Registration 28/02/2003

Place 354/1, Near Guest House, Sangli - Miraj Road, Sangli

Date of issue of certificate 31/03/2024

This certificate of registration shall be valid upto: 31 MAR 2027  
MEDICAL OFFICER OF HEALTH, SANGLI MIRAJ & KUPWAD CITY MUNICIPAL  
CORPORATION (Here insert the name of Local Supervising Authority.)



Signature of the registering authority.  
Medical Health Officer,  
Public Health  
Sangli Miraj & Kupwad City  
Corporation